



Dilution times of VSF


4/18 **FIG.4** 




5/18 **FIG.5** 




6/18 **FIG.6** 








8/18 **FIG.8** 




9/18 **FIG.9** 

1234567891011



# 10/18 **FIG.10**




Western blot with anti-mouse IgG

- C; Western blot with anti-mouse gamma chain of IgG
- D; Western blot with anti-mouse Fab of IgG
- 1; Purified VSF
- 2; Purified VSF treated with endoglycosidase

### 11/18 FIG.11A


1) trypsin

→ IgG



- 1: Incubation for 1 hour
- 2: Incubation for 6 hour
- 3; Incubation for 24 hour





- A. SDS PAGE (15 %)
- B. Western blot

  - B-1; anti mouse IgG (H+L)
    B-2; anti mouse gamma chain of IgG
    B-3; anti mouse Fab of IgG

- HM : high range marker LM : low range marker
- PM; prestained high range marker


- 1 : Incubation for 1 hour 2 : Incubation for 6 hour 3 : Incubation for 24 hour

## 12/18

### FIG.11B

## 2) Cathepsin





A:SDS-PAGE B:Western blot B-1;anti - mouse IgG (H+L) B-2;anti - mouse gamma chain of IgG B-3;anti - mouse Fab of IgG

LM ; low marker


1: Incubation for 24 hour 2: Incubation for 48 hour 3: Incubation for 72 hour

# 13/18 **FIG.11C**

3) Papain

→ Ig G

→ VSF




- 1. 100ng of papain
- 2.  $1\mu g$  of papain

14/18 **FIG.11D** 

- 4) pepsin
- → IgG

	SDS-PAGE					Western -blot							
						(gamr	na)			(Fab)			
	M	PM	1	2	.3	. PM	1	2	3	PM	1	2	3
97.4 — 66.2 —					F118								10000
45.0 —			· 5. · · · ·										
31.0			· · · · · ·				j						
21.5		1		, ,	_	1							
14.4 —			•									i√" Silay	
kDa	40%	, i ·					<u>:</u>	,	en e				

→ VSF




1: 100ng of pepsin


2: Tug of pepsin


3: 10ug of pepsin

15/18 **FIG.12A** 




16/18






17/18 **FIG.12C** 

### Heat Stability Test at 65℃



18/18 **FIG.13** 



# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.